
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Mrs Bort. American Plants and Shrubs S. Department of Agriculture, Washington, D. C.



WOODWARDIA ANGUSTIFOLIA As it grows wild.

COLLECTED AND GROWN BY

WM. F. BASSETT & SON

Hammonton, New Jersey

U. S. A.



Terms and Remarks.

OUR TERMS are net cash, and are for the quantities named, except that 5, 50, and 500 will be furnished at the ten, hundred, and thousand rates, respectively. Persons not known by us to be responsible and reliable, will be expected to send cash with order, or good references.

SHIPPING FACILITIES. Our nurseries are within 30 miles of Philadelphia (two railroads), 100 miles of New York, and freight rates very low.

MAILING PLANTS. Small orders will be filled by mail when so requested, if the size of plant will permit; but postage will be added to bills so forwarded.

COLLECTED PLANTS. This is our original specialty, and we collect plants in New Jersey, Pennsylvania, Delaware, and Maryland, and we also have arrangements with special collectors in the New England and other states. This collecting is all done by skilled men, and the plants so collected are not to be compared with "cheap collected plants" Pulled UP by irresponsible parties at so much per thousand. We aim to get the very best, especially in those species that are difficult to transplant, and we send out only such as we could succeed with ourselves; but as we cannot control weather conditions or other circumstances where we send them, we cannot, of course, assume any responsibility further than to ship them in good order.

TRANSPLANTED STOCK. To meet the wants of an increasing list of customers, we have for several years been transplanting the best varieties of our native shrubs and hardy plants into our nursery grounds, and growing them under culture for one or more years.

PACKING, which is done in a most thorough manner, is charged at cost. We use the best of sphagnum moss.

To our European Friends.

We have a good list of European customers, and our system of packing is such that our shipments have arrived in perfect condition. We wish, however, to say to this class of customers that Fall orders are much more desirable, as the dormant condition of stock shipped at that season admits of closer packing, and consequently safer transit.

Certificate of Inspection.

A copy of the Certificate of Inspection will accompany each shipment. We will fumigate stock WHEN REQUESTED.

Novelties and Specialties.

Bright Red Pyrus,-Arbutifolia, var. Brilliantissima.

It is not necessary to say to those who are familiar with the common Pyrus arbutifolia, that the fruit varies in color from red to almost black, and that the greater portion, even of those which are light red when first ripening, turn quite dark and dull later in the season. Our Brilliantissima has been propagated from a few plants we found, which produced bright scarlet berries and retain their bright color until late in the winter. This is so decidedly superior to the ordinary form that we are growing it exclusively.

Plants not in this List.

There are many native plants not included in this list, which we can collect if desired. We can collect nine varieties of Eupatorium, twenty varieties of Aster, eighteen varieties of Solidago, and many others.

Seeds.

We collect American tree and shrub seeds on orders only. Prices quoted on application.

Large Plants.

We make a specialty of large plants, collected with ball of earth, in carload lots. In this list may be mentioned Ilex glabra, Ilex opaca, Kalmia latifolia, Azalea viscosa, Vaccinium corymbosum, Viburnum cassinoides, etc. These are unusually fine specimens of each variety, ranging in size from one to six feet, according to variety. Special prices on carload lots.

Hardy Perennial Phlox.

We offer the following selection of Hardy Perennial Phlox in strong field-grown plants. This selection is the best of a large collection.

Aquillon. Bright deep pink, with bright crimson eye.

Bridesmaid. Pure white, with large crimson centre; very free.

Champs Elysee. A fine rich purplish crimson.

Cyclon. White suffused with deep rose centre.

Eclaireur. Purplish crimson with light halo; large flower.

Eugene Danzenvillier. Lilac shading white toward the edges, large white centre.

Jeanne d' Arc. Late flowering; pure white.

Moliere. Salmon rose, with deep rose eye.

Otto Thalacker. Magenta crimson.

Pantheon. Fine deep salmon rose; very free and effective.

P. Bonnetain. Magenta, overlaid with salmon.

Prof. Schliemann. Bright lilac rose, with bright eye.

Sunshine. Deep salmon pink, with deep rose eye.

Semiramis. Purplish magenta.

The Pearl. The best pure white. 10 c. each; 75 c. per 10; \$4 per 100; \$35 per 1000. We have a large stock of this variety in field-grown plants.

Price, except where noted: 15 c. each; \$1 for 10; \$6 per 100; \$45 per 1000.

General List of Hardy Perennials.

We have a large and varied stock of Hardy Perennials, including the very best standard varieties and many of the newer sorts. Parties intending to plant largely of this class of stock should send their list for special estimate. A liberal discount on orders amounting to twenty-five dollars or more.

on orders amounting to twoney are desired or more.	10	100	1000
Achillea eupatoria	0.75	100	1000
" millefolium roseum 10	.50	3.00	25.00
" The Pearl	.40	2.50	20.00
" tomentosa	.50	1111111111111	
Acorus calamus, collected 10	.50	3.00	
Adiantum pedatum	.60	3.00	25.00
Aletris farinosa, col	.50	2.00	12.00
Amsonia salicifolia	1.00		
Andropogon macrourus, col 10	.50	2.00	15.00
Anemone Pennsylvanica 20	.75		
" nemorosa	.60	5.00	
Anemonella thalictroides, col	.60	3.00	
Apios tuberosa	.30	1.00	8.00
Aquilegia Canadensis, col	.50	3.00	25.00
" hybrida 25	.75	4.00	
Aralia hispida, col	.75		
Arenaria squarrosa, col	.70	3.00	25.00
Arisaema Dracontium, col 20	.80	4.00	
" triphyllum, col	.50	2.00	15.00
Asarum Canadense	.50	4.00	
Asclepias incarnata, col 10	.50	3.00	20.00
" obtusifolia, col 20	1.00		
" tuberosa, col	1.00	6.00	40.00
Aspidium acrostichoides 10	.50	2.00	15.00
" aculeatum var. Braunii, col 30	1.25		
Cristatum, cor 20	.70	4.00	
" goldianum 25	1.25		
" marginale, col	.50	2.00	15.00
novaporacensis, cor	.50	2.00	15.00
spinulosum, cor	•75	3.00	25.00
thery pteris, cor	.50	2.00	15.00
Asplenium ebeneum, col	.50	2.00	15.00
trichomanes, cor	.60	3.00	
Aster concolor, col	1.00		
Imarinoinas, cor	.50	2.00	15.00
longitorius, cor	1.00		
Nova Aligiae	.60	3.50	
10564	1.00	8.00	
1115. 1. Raynor	1.00		
" lævis	•75	5.00	

Astan Ionia floribunda	EACH	10	100	1000
Aster, lævis floribunda	25	1.00		
patens, cor	01	.50		
puniceus, cor	20	•75		
spectabilis, cor	10	.50	2.50	15.0
" tradescantii, col		.40	2.50	15.0 25.0
Baptisia tinctoria, col	15 25	·75	3.00 4.00	25.0
Boltonia asteroides	15	•75	4.00	
" glastifolia	25	1.00	4.00	
" latasquamae	15	•75	4.00	
Botrychium Virginicum, col	20	.60	4.00	
Brasenia peltata, col	10	.50	2.00	15.0
Breweria Pickeringii, col	25	1.00	6.00	0
Brunella vulgaris	10	.50	2.00	15.0
Calamagrostis brevipilis, col	25	1.00	5.00	-0
" Nuttaliana, col	25	1.00	6.00	
Calla palustris, col	15	•75	4.00	
Calopogon pulchellus, col	15	.60	4.00	
Caltha palustris, col	15	.60	3.00	25.0
Camptosorus rhizophyllus, col	15	.50	2.50	
Cassia Marylandica	15	.60	3.00	
Chelone glabra, col	10	.50	3.00	
Chimaphila maculata, col	15	.60	3.00	
" umbellata, col	15	.75	4.00	
Chrysopsis falcata, col	20	.50	3.00	10.0
" Mariana, col	10	.50	2.50	15.0
Cimcifuga racemosa, col	15	.60	3.00	20.0
Claytonia Virginica, col	15	.60	3.00	
Clintonia borealis, col	15	.60	3.00	
Coreopsis grandiflora	15	.75	3.00	
lanccolata	10	.50	2.00	15.0
Coronilla varia	10	.60	3.00	
	20	.60	3.00	
Cypripedium acaule, col	15	·75	4.00	
Dentaria laciniata, col	10	.60	2.00	
0' 1 0 1 ' 1	15		3.00 2.50	75.0
" cucullaria, col	15	·75	2.00	15.0
Dt. f tit	15 15	.60	2.00	10.0
Dicksonia pinosusiuscuia	15	.75	2,00	10.0
Dioscorea villosa, col	25	1.50		
Dracocephalum Virginicum	10	.50	2.00	
Drosera filiformis, col	15	.60	1.50	10.0
" intermedia	15	.60	3.00	10.0
Elodes Virginica, col	15	.60	3.00	15.0
Epilobium augustifolium, col	15	1.00	5.00	23.0

Trade List of American Tiants and	a suraos.		5
EACH	10	100	1000
Erianthus alopecuroides, col	.60 •	3.00	
Eriocaulon gnaphalodes, col	.60	2.50	
decangulare, cor	.60	2.50	
Eriophorum Virginicum, col	.75		
Erynginm amethystinum	1.00	5.00	
" Virginicum	1.00	5.00	
Erythronium Americanum, col	.60		=0
Eulalia gracillima	.50	2.00	18.00
Japonica	.50		-0
Japonica zebima	.60	2.50	18.00
Eupatorium ageratoides	.75	4.00	
	.60	3.00	20,00
purpureum, cor	.60	3.00	20.00
Euphorbia corollata	.50	2.50	15.00
" ipecacuanhæ, col	.60	3.00	
Funkia lancifolia	.60	3.00	
" Sieboldii	2.00		
Gaillardia grandiflora 20	1.00	5.00	
Galactea glabella 20	.80		
Galtonia (Hyacinthus) Candicans	.75	4.00	
Gentiana Andrewsii, col	1.25	7.00	
" angustifolia, col 25	1.50		
" saponaria, col 25	1.00	7.00	
'· linearis	1.00		
Geranium maculatum, col	.60	2.50	
" sanguineum	.80	5.00	
Gerardia flava, col 20	.75	4.00	
Goodyera pubescens 30	1,00		
Gratiola aurea, col	.60	3.00	
Gypsophyla repens	1.50		
Habenaria blephariglottis, col	.70	5.00	
" ciliaris, col	.75		
Helenium autumnale	.60	2.00	15.00
" pumilum	1.00		
Helianthus angustifolius, col	.60	3.00	20.00
" divaricatus, col	.60	3.00	20.00
" giganteus	.60	3.00	
" lætiflorus 10	.50	2.00	10.00
" mollis, col 20	.75	3.00	
Heliopsis Pitcheriana 25	1.00	4.00	
Helonias bullata, col 20	.85	4.00	30.00
Hemerocallis Dumortieri	.60	3.00	25.00
" florham 30			
" flava 20	•75	5.00	40.00
" fulva 10	.60	2.00	15.00
" middendorfiana 25	2.00		
"Kwanso plena, var 25	1.25		
"Thunbergii 20	.75	4.00	

Transies andileba mal	EACH	10	100	1000
Hepatica acutiloba, col		.60	3.00	20.0
tilloba, cor	. 15	.60	3.00	20.0
Heuchera Americana	_	.75	4.00	
COI	15	.50	2.00	15.00
Hibiscus moscheutos	15	.60	3.00	20.00
Chinison Eye	. 15	.60	2.50	18.00
Rose I IIIk	. 15	.60		
" militaris	. 15	•75	2.00	
Houstonia cœrulea, col	15	.50	4.00	
Hypericum angulosum, col	15	.60		
" ascyron	. 25			
Iberis sempervirens		.50	3.50	
" superba	. 25	.75	4.00	
Ipomœa pandurata, col	25	1.00	7.00	
Iris Germanica, Madam Cherau	. ,	.75	4.00	
" " mixed		.50	2.00	10.00
" aurea	25	1.00		
" prismatica, col	15	.60	2.00	15.00
" pumila	15	.60	2.50	
" pseudacorus	10	.50		
"Siberica	15	.50	3.00	
" alba	25	.60	4.00	
" versicolor	. 11	•75	3.00	
Lacnanthes tinctoria	IO	.50	2.00	15.00
Liatris graminifolia, col	IO	.50	2.00	15.00
" cylindriaca	15	I.00		
" pycnostachia	25	1.25	4.00	
" spicata	20	.75	3.00	
" gracilis	15	1.00		
Lilium Philadelphicum, col	25	.80	5.00	
" superbum	20	.75	4.00	
" Canadense	20	.75	5.00	
Linaria Canadensis	IO	.50	2.00	10.00
" vulgaris	15	.50	2.00	15.00
Liparis liliifolia	25	1.25	8.00	
Lobelia cardinalis, col	20	.60	3.00	20,00
" syphilitica, col	25	.80	4.00	
Lophiola aurea, col	25	1.00	5.00	30.00
Lysimachia ciliata	15	.60	3.00	
" clethroides	15	.60	4.00	
" nummularia	15	.60	2.00	
" punctata	15	.60	3.00	
" quadrifolia, col	15	.60	2.50	
" stricta, col	15	.60	3.00	
Lythrum salicaria superba	15	.80	4.00	
Malva moschata	15	.75		

No. 4 . to Windistry and	EACH	10	100	1000
Mertensia Virginica, col		.75	3.50	25.00
Mikania scandens, col	. 25	1.00		
Mitchella repens, col	. 10	.50	2.00	15.00
Monarda didyma splendens	. 15	1.00	5.00	
" fistulosa	. 10	1.00	5.00	
Mentha piperita	. 15	·75	3.00	
" viridis	. 15	·75	3.00	
Narthecium Americanum, col	. 30	1.50	5.00	40.00
Nepeta glechoma	. 10	.50	2.00	·
Nesæa verticillata, col	. 25	1.00	5.00	
Nuphar advena, col	. 25	1.00	6.00	
Nymphæa odorata, col	. 25	.75	3.00	
" " minor, col	. 25	•75	3.00	
Œnothera fruticosa, col		.60	2.00	18.00
	_		2.00	10,00
	. 15	·75	2.00	
,	. 15	.50	2.00	10.00
" struthiopteris, col	. 15	.70	5.00	
Opuntia Raffinesquii	. 15	.60	2.00	15.00
Orontium Aquaticum, col	. 25	.90	6.00	45.00
Osmunda cinnamomea, col	. 20	1.00	6.00	35.00
" Claytoniana, col	. 20	.85	4.00	35.00
" gracilis, col	. 25	1.00	6,00	40.00
" regalis, col	. 20	1.00	6.00	40.00
Oxalis violacea, col	. 15	.60	3.00	
Panicum yirgatum, col	. 15	.60	2.00	15.00
Pardanthus Chinensis	. 10	.50	2.00	15.00
Pentstemon barbatus Torreyi	. 20	.75	4.00	
" grandiflorus	. 20	•75	5.00	
" digitalis	. 20	1.00	5.00	
" pubescens	. 15	.60	2.50	20.00
Peltandra Virginica, col	30	1.50	8.00	60.00
Phegopteris dryopteris	_	.60	0.00	00.00
" hexegonoptera	. 15	.60	3.00	
	_	.60	3.00	
	-			
Phlox divaricata, col	. 20	.75	3.00	25.00
maculata, coi		.75	3.50	
Submata	. 15	.60	2.50	
alba	. 15	.60	2.50	
"The Pearl	. 10	.60	4.00	35.00
Physostegia Virginica	. 15	1.00		
" alba	. 15	1.00	5.00	
Platycodon grandiflorum	. 25	.60	5.00	
" album	. 25	.60	5.00	
Podophyllum peltatum, col	. 15	.60	2.00	15.00
Pogonia ophioglossoides, col	. 20	•75		-0.44
Polypodium vulgare	. 15	.60	2,00	12,00

		4.0	100	***
Pontederia cordata, col	20	10 •75	100 4.00	30.00
Pteris aquilina, col	15	.50	2.00	10.00
Pycnanthemum linifolium	IO	.50	4.00	
Pyrola chlorantha, col	15	.60	3.00	
" elliptica, col	15	.60	3.00	
" rotundifolia, col	15	.60	3.00	
Pyxidanthera barbulata, col	20	· ·75	3.00	25.00
Rudbeckia hirta, col	15	.60	2.50	20.00
" laciniata	15	.60	3.00	25.00
" fl. pl. (Golden Glow)	. , 10	.50	3.50	
" speciosa	15	.80	4.00	`
Sabbatia choroides, col	25	·75	5.00	40.00
" lanceolata, col	15	.60	4.00	35.00
Salvia lyrata	10	.50	2.00	15.00
" azurea grandiflora	25	•75	5.00	Ü
Committee to Co. 1 . 1	15	.60	2,00	18.00
Sarracenia purpurea, col	25	•75	3.00	25.00
Scirpus Eriophorum, col	15	.60	3.00	-5
Sedum acre	10	.50	3.00	20.0
" album	10	.50	3.00	20,0
" spectabile	15	•75	5.00	
" ternatum	15	.60	3.00	20,0
Silene Pennsylvanicum	20	•75	5.00	
" stellata	15	.60	3.00	
C	20	•75	3.00	25.0
" racemosa, col	20	•75	3.00	25.0
Solidago altissimum, col	15	.60	2.50	20,0
" cæsia, col	15	.50	2.50	
" Canadensis	15	.60	2.50	
"	10	.50	2.00	15.0
"		.60	2.00	15.0
	15	.50	2.00	15.0
" odora, col	15	.60	2.50	15.0
	_	.60	2.50	20.0
44 4	10	.50	2.00	15.0
11 minut 1	20	_	3.00	25.0
vingata, coi		•75	_	25.0
	ro	.75 .60	4.00	25.0
Tephrosia Virginica, col	15		3.00	25.0
Thalictrum cornuti, col	20	·75	3.00	25.0
" dioicum, col	20	•75 •60	3.50	30.0
66 66 11	15		3.00	25.0
aiba		•75	3.50	
п. рг.,	25	1.00	3.00	
Trillium erectum, col	15	.60	3.00	
arbum, cor	20	•75	4.00	
" grandiflorum	15	.50	2.50	15.0

Trade List of American Flan	is ana	Saruos.		9
m '11'	EACH	10	100	1000
Trillium grandiflorum roseum	20	.75	5.00	
Typha angustifolia, col	15	.60	5.00	
latifolia, col	15	.60	5.00	
Vernonia hybrida	15	1.00	5.00	
" novaboracensis, col	20	.80	5.00	
Veronica Circæoides	15	•75	3.00	0
" officinalis	25	.50	2.00	18.00
" longifolia subsessilis	25	I.00	5.00	
Viola cucullata	10	.50	1.50	10.00
" pedata, col	15	.50	2.50	20,00
" " bicolor	25	1.00		
" Pink Gem	25	·75	5.00	
" Pinehurst	15	1.00	5.00	
Woodwardia angustifolia, col	15	.60	2.50	20.00
" Virginica, col	15	.60	2.00	15.00
Xerophyllum asphodeloides, col	15	.60	2.00	15.00
" in strong clumps, col	25	1.50	10.00	
Yucca filamentosa	20	.70	3.50	30.00
" (heavy plants)	25	1.50	7.00	
•	10		· ·	
Trees, Shrubs, and Woo				
Acer Platanoides, 1 to 2 feet	10	•5¢	2.50	
seedings, 4 to 6 menes		.25	1.00	
rubrum, 5 to 6 reet, cor	25	1.25	8.00	
4 to 5 feet, col	20	.80	4.00	
3 to 4 icci, coi	20	•75	3.00	
2 to 3 feet, col	15	.50	2.50	15.00
Spicatam, cor		1.00	4.00	
Akebia quinata, 2 years	15	.50	3.00	
Amelanchier Botryapium, col		.60	3.50	30.00
Canadensis, 2 to 4 rect, trans	15	1.00	6.00	
COI		.60	3.00	
rotundiionum, 2 to 3 feet	25	1.00	5.00	
1 to 2 feet	15	.75	3.00	
Ampelopsis quinquefolia, 2 years	15	,60	3.00	
Andromeda arborea, 6 to 12 feet with	15	.60	3.00	
caryculata, coi		.60	2.00	15.00
" ligustrina, trans	15	•75		
COI		.60	3.00	25.00
Andromeda Mariana, I to 2 feet	20	1.00	5.00	
" 6 to 12 inches	15	·75	4.00	
" col		•75	3.50	25.00
" polifolia	25	·75	4.00	
" racemosa, 2 to 3 feet	25	1.50	10.00	

.60

2.50


20.00

A similar tailaha	EACH	10	100	1000
Asimina triloba		2.50 .60	1.00	
Ascyrum Crux-Andræ, col		.60	3.00 3.00	
" stans, col		.00	3.00	
		1.00		
" Amoena		3.00	18.00	
Calchanacca, 1 to 2 feet	. 35	2.00	10.00	
2 10 3 1001	. 50	4.00		
nudinola	. 50	2.00 .60	10.00	
COI		.00	3.00	25.0
" Vaseyi, 2 to 3 feet		T 00		
V15C05a, 1 to 2 1CCt	. 15	1.00	7.50	
" col		.60	3.00	25.0
Baccharii halimifolia, col		10.00		
		.75	5.00	30.0
Berberis Thunbergii		1.00	8.00	
vargaris, to to 12 menes		.40	2.00	
Betula lenta, 4 to 6 feet, twice transplanted		1.25	10.00	0
001		.50	2.50	18.0
populiiona, coi		.50	1.50	10.0
intea, 5 to 10 leet, extra	. 40	2.50		
Calycanthus Floridus, I to 2 feet		1.00	6.00	
Carpinus Americana, 2 to 4 feet, twice trans		1.00	7.00	
Celastrus scandens, col		.50	2.00	15.0
Cephalanthus occidentalis, 2 to 3 feet		.80	5.00	
" I to 2 feet		.50	3.00	
Cercis Canadensis, 1 to 2 feet	. 25	1.00	6.00	
" col	•	.60	4.00	30.0
Chionanthus Virginica	. 15	.60	5.00	_
Clematis Virginica, col		.50	2.50	18.0
Clethra alnifolia, 2 to 3 feet		.80	5.00	
1 10 2 1001	. 10	.50	3.00	25.0
coi		.50	2.00	15.0
Comptonia asplenifolia, bushy		1.00	9.00	
" col		.50	2.50	15.0
Cornus Florida, 2 to 3 feet	. 15	1.00	10.00	
01	•	.60	3.50	20.0
mas. 2 to 3 leet	. 15	.90	0	
paniculata, 2 to 3 leet	. 20	1.00	8.00	
COI		.60	3.00	25.0
sericea, 3 to 4 feet		.75	7.50	
001		.60	2.50	20.0
Corylus Americana, 2 to 3½ feet, trans	. 30	2.00	10.00	
" col		.60	3.00	20.0
Cratægus parvifolia, 2 to 3 feet, heavy		1.75		
" col		.60	4.00	35.0

17 www 15150 by 11 mer team 1		S 10001		11
	EACH	10	100	1000
Cupressus thyoides, col		.50	1.50	8.00
Diervilla trifida, trans	. 15	.60	4.00	
" col		.60	3.00	25.00
" sessilifolia	. 20	1.00	7.50	
Dimormanthus Mandschuricus, 5 to 10 feet	. 50	1.00		
" 2 to 5 feet		.50		
Diospyros Virginica, col	. 20	.75	4.00	
Dirca palustris, trans		.75		
Epigea repens, col. seedlings, with ball	. 25	1.00	6.00	
Euonymus Americanus, col		.60	2.50	20.00
" radicans	. 15	.60	3.50	
" variegated	. 15	.75		
"Europæus, 3 to 4 feet	. 20	1.00	4.00	
" 2 to 3 feet	. 15	.60	3.00	
Forsythia Fortunei, 3 to 4 feet	. 15	.60	4.00	
Fothergilla alnifolia	. 25	1.50	10.00	
Gaultheria procumbens, col	. IO	.40	1.50	10.00
" col. clumps		.50	2.00	15.00
Gaylussacia Dumosa, col	. 15	.60	3.50	
" frondosa, col	. 15	.60		
" resinosa, col	. 15	.50	. 2.00	15.00
Hammamelis Virginica	. 25	1.25	10.00	
" col		.60	3.50	30.00
Hudsonia ericoides, col	. 10	.50	2.00	15.00
" tomentosa, col		.60	4.00	20.00
Hydrangea arborescens, I to 2 feet	. 15	.75	6.00	
" col		.60	3.00	25.00
Hypericum densiflorum, col	. 15	.60	2.00	10.00
Ilex glabra, 6 to 12 inch, col	. 15	.60	3.00	
i to 2 feet, with ball, col		3.00	17.00	
" 2 to 3 feet, with ball, col		6.00	40.00	
Ilex Opaca, col. seedlings		.75	4.00	35.00
" col, I to 2 feet, bushy		1.50	12.00	
Prices quoted on larger sizes on application. We cut leaves from all Ilex Opaca as soon as				
Ilex verticillata, col		.85	4.00	
Itea Virginica, I to 2 feet		.50	4.00	
" 2 to 3 feet	. 25	.80	6.00	
" col	. 25	.50	3.00	
Juniperus Virginiana, col		.50	2.00	15.00
Kalmia angustifolia, col		.60	2.00	
" latifolia, 6 to 12 inches, col		.60	2.50	15.00
" 2 feet, with ball, col		2.50	20.00	15.00
We have a fine lot of this grade of Kalmias gro				and our
four years ago, which we can furnish by tho	usand or	carload at	special pri	ces.

		, ,		
Valroutaria paniaulata I to a ft trans	EACH	10	100	1000
Kolreuteria paniculata, 1 to 3 ft., trans Ledum latifolium, 8 to 12 in., bushy	30	.50 1.50	3.00	
Leiophyllum buxifolium, col	15	.60	4.00	35.00
Leucothoe Catesbæii, 6 to 12 in	10	.60	4.00	33,00
Lindera Benzoin, 12 to 18 in	20	.80	5.00	
" col		.60	3.00	25.00
Liquidambar styraciflua, 6 to 8 ft., twice trans	50	3.50	3.22	-3
" 4 to 6 ft., "	35	3.00	25.00	
" col	33	.60	2.00	
Lonicera Brachypoda, col	15	.60	3.00	25.00
" fragrantissima, 3 to 5 ft	15	.50	3	
" Halleana, 2 years	35	.75	3.50	25.00
Lyceum vulgare	10	.50	2.50	
Magnolia glauca, transplanted	25	1.50		
Menispermum Canadense, col	15	.60	2.50	20.00
Myrica cerifera			6.00	
" col		.75	3.50	
" gale, 1½ to 2½ feet, bushy	25	1.00	7.50	
" col		.75	3.50	30.00
Ostrya Virginica		1.25	8.00	
Platanus orientalis, 10 feet, trans	40	3.00		
" 5 to 8ft., trans	25	2.00	15.00	
" 3 to 5 ft., trans	15	1.00	8.00	
Prunus maritima, col	15	.60	3.00	20.00
" serotina, col	15	.60	3.00	20.00
" Virginiana, col	15	.60	3.00	25.00
Pyrus arbutifolia, var. Brilliantissima, 2 to 3 feet				
bushy	25	1.00	5.00	
" var. Brilliantissima. 1 to 2 ft	15	.75	4.00	
" melanocarpa, black fruited	15	.75	4.50	35.00
" col	Ü	.60	3.00	00
Rhododendron maximum, 1 to 2 ft	35	2.00	12.00	
" col. seedlings, 6 to 12 in		.75	2.00	18.00
" Catawbiense	15	1.50	10.00	
Rhus copallina, 2 to 3 feet		.75	5.00	
" col		.50	2.00	15.00
" glabra, col		.75	3.00	
" typhina, col	15	.60	2.50	20.00
Robinia hispida	15	.50	3.00	25.00
Rosa blanda	15	1.00	7.00	
" Carolina, col		.60	2.00	18.00
" lucida, col		.50	4.00	30.00
" nitida	20	1.25	7.00	
" setigera	15	1.25	7.00	
Rubus Canadensis, col	10	.40	1.50	10.00
" cuneifolius. col	IO	.40	2.00	15.00
cunenomis, cor		-40		U

	EACH	10	100	1000
Rubus odoratus, col		.50	2.00	15.00
Sambucus Canadensis, col	20	.75	5.00	
Sassafras, col		.50	3.00	25.00
Smilax rotundifolium, col	15.	.60	3.00	25.00
" Walterii, col	25	1.00	6.00	
Spiræa Anthony Waterer, I to 2 feet	25	1.75	6.00	
" tomentosa, col		.60	2.00	15.00
" VanHouttii, 3 to 4 feet	25	1.00	7.50	
" Callosa superba	25	1.00		
Staphylea trifolia, col	15	.60	3.00	25.00
Stuartia pentagynia, 8 to 12 in	15	1.00		
Symphoricarpus vulgaris, 2 to 3 feet	IO	.50	2.00	20.00
Tecoma radicans	10	.50	2.50	
Ulmus Americana, 6 to 8 ft., twice trans	. 15	1.00	10.00	
Vaccinium corymbosum, trans	15	1.25	10.00	
" col		.60	3.00	25.00
" macrocarpon, col	10	.50	1.50	10.00
" Pennsylvanicum, col		.60	3.00	25.00
" stamineum, 8 to 12 inch	15	.80	6.00	
" col		.75	4.00	30.00
" vacillans, col		.60	3.00	25.00
Viburnum acerifolium, I to 2 feet	15	1.00	7.00	
" col		.60	3.00	25.00
" cassinoides	25	1.50	10.00	
" dentatum, trans	25	1.50	8.00	
" nudum, col		.60	3.00	25.00
Virgilia lutea, 6 to 12 inch	15	1.00	6.00	
Xanthoxylum Americanum	25	.80		
" col		.75	4.00	30.00
Xanthorhiza apiifolia	20	1.25	6.00	50.00
Coniferous Everg	rteen	S		
	5,0011	13.		
Arborvitæ, dwarf, 1 to 2 feet	25	1.50		
Pinus rigida, seedlings, col		.50	1.50	12,00



PYXIDANTHERA BARBULATA